

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|-------------------|------------|-------|--|------------|
| 1 | US 20040208273 A1 | 20041021 | 11 | CMOS lock detect with double protection | 375/374 |
| 2 | US 20030235260 A1 | 20031225 | 22 | Methods and apparatus for generating timing signals | 375/374 |
| 3 | US 20030189991 A1 | 20031009 | 11 | Charge pump phase locked loop | 375/326 |
| 4 | US 20030043949 A1 | 20030306 | 3353 | Radio frequency data communications device | 375/374 |
| 5 | US 20030026372 A1 | 20030206 | 13 | Adaptive phase locked loop | 375/376 |
| 6 | US 20020163986 A1 | 20021107 | 18 | Method and apparatus for generating a phase dependent control signal | 375/374 |
| 7 | US 20020154721 A1 | 20021024 | 18 | Method and apparatus for generating a phase dependent control signal | 375/374 |
| 8 | US 7054404 B2 | 20060530 | 38 | Clock control method, frequency dividing circuit and PLL circuit | 375/376 |
| 9 | US 7016451 B2 | 20060321 | 17 | Method and apparatus for generating a phase dependent control signal | 375/374 |
| 10 | US 7003066 B1 | 20060221 | 33 | Digital phase locked loop with phase selector having minimized number of phase interpolators | 375/376 |
| 11 | US 6993108 B1 | 20060131 | 33 | Digital phase locked loop with programmable digital filter | 375/376 |
| 12 | US 6977959 B2 | 20051220 | 20 | Clock and data recovery phase-locked loop | 375/219 |
| 13 | US 6963629 B2 | 20051108 | 13 | Adaptive phase locked loop | 375/376 |
| 14 | US 6952462 B2 | 20051004 | 19 | Method and apparatus for generating a phase dependent control signal | 375/373 |
| 15 | US 6947513 B2 | 20050920 | 54 | Radio frequency data communications device | 375/374 |
| 16 | US 6931086 B2 | 20050816 | 20 | Method and apparatus for generating a phase dependent control signal | 375/374 |

| | Current XRef | Inventor |
|-----------|---|-------------------------------|
| 1 | | Cao, Jun et al. |
| 2 | | Nakamura, Katsufumi et al. |
| 3 | 375/374 | Puccio, Gianni et al. |
| 4 | | O'Toole, James E. et al. |
| 5 | 327/148; 327/157; 375/374; 375/375 | Boerstler, David W. et al. |
| 6 | 327/157 | Harrison, Ronnie M. |
| 7 | | Harrison, Ronnie M. |
| 8 | 331/25; 375/374; 375/375 | Saeki; Takanori |
| 9 | | Harrison; Ronnie M. |
| 10 | 375/374; 375/375 | Davies; Antony et al. |
| 11 | 375/374; 375/375 | Chi; Kuang et al. |
| 12 | 375/374; 375/375; 375/376 | Brunn; Brian T. et al. |
| 13 | 327/148; 327/157; 375/374; 375/375 | Boerstler; David W. et al. |
| 14 | 375/374 | Harrison; Ronnie M. |
| 15 | 340/10.1 | O'Toole; James E. et al. |
| 16 | 375/375 | Harrison; Ronnie M. |

| | Document ID | Issue Date | Pages | Title | Current OR |
|-----------|--------------------|-------------------|--------------|---|-----------------------|
| 17 | US 6853696 B1 | 20050208 | 26 | Method and apparatus for clock recovery and data qualification | 375/375 |
| 18 | US 6819728 B2 | 20041116 | 32 | Self-correcting multiphase clock recovery | 375/376 |
| 19 | US 6760394 B1 | 20040706 | 12 | CMOS lock detect with double protection | 375/374 |
| 20 | US 6737995 B2 | 20040518 | 14 | Clock and data recovery with a feedback loop to adjust the slice level of an input sampling circuit | 341/68 |
| 21 | US 6714772 B2 | 20040330 | 15 | Wireless communication system | 455/260 |
| 22 | US 6590949 B1 | 20030708 | 7 | Circuit and method for compensating a phase detector | 375/376 |

| | Current XRef | Inventor |
|-----------|---|------------------------------|
| 17 | 375/371; 375/372; 375/373; 375/374; 375/376 | Moser; James et al. |
| 18 | 327/148; 327/157; 370/518; 375/374 | Boerstler; David William |
| 19 | 327/156; 327/159; 331/25; 331/DIG.2 ; 375/376 | Cao; Jun et al. |
| 20 | 375/317; 375/374; 375/375; 375/376 | Ng; Devin Kenji et al. |
| 21 | 327/156; 327/157; 375/374; 375/375; 455/259; 455/262; 455/264 | Kasahara; Masumi et al. |
| 22 | 327/147; 327/148; 327/156; 327/157; 375/374 | Marten; Lance Alan et al. |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|---------------|------------|-------|--|------------|
| 23 | US 6531927 B1 | 20030311 | 10 | Method to make a phase-locked loop's jitter transfer function independent of data transition density | 331/25 |
| 24 | US 6526111 B1 | 20030225 | 10 | Method and apparatus for phase locked loop having reduced jitter and/or frequency biasing | 375/376 |
| 25 | US 6526109 B1 | 20030225 | 30 | Method and apparatus for hybrid smart center loop for clock data recovery | 375/371 |
| 26 | US 6470060 B1 | 20021022 | 15 | Method and apparatus for generating a phase dependent control signal | 375/374 |
| 27 | US 6466634 B1 | 20021015 | 58 | Radio frequency data communications device | 375/374 |
| 28 | US 6442225 B1 | 20020827 | 13 | Multi-phase-locked loop for data recovery | 375/376 |
| 29 | US 6330296 B1 | 20011211 | 11 | Delay-locked loop which includes a monitor to allow for proper alignment of signals | 375/376 |
| 30 | US 6314150 B1 | 20011106 | 9 | Lock detector circuit for a phase-locked loop | 375/374 |
| 31 | US 6215834 B1 | 20010410 | 8 | Dual bandwidth phase locked loop frequency lock detection system and method | 375/375 |

| | Current XRef | Inventor |
|-----------|---|-------------------------------------|
| 23 | 327/156; 327/157; 327/159; 331/1A; 331/14; 375/371; 375/373; 375/374; 375/375; 375/376; 713/400 | Chen; Dao-Long |
| 24 | 327/157; 375/374; 375/375 | Prasad; Ammisetti V |
| 25 | 327/158; 375/374; 375/376 | Chang; Charles et al. |
| 26 | 327/141; 327/142; 327/148; 327/157; 327/3; 375/373; 375/375 | Harrison; Ronnie M. |
| 27 | 340/10.1 | O'Toole; James E. et al. |
| 28 | 375/374 | Huang; Chen-chih |
| 29 | 327/159; 375/374 | Atallah; Francois Ibrahim et al. |
| 30 | 327/150; 327/151; 327/159; 331/DIG.2 ; 375/376 | Vowe; Achim |
| 31 | 331/14; 331/25; 375/362; 375/374 | McCollough; Kelvin |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|--------------|------------|-------|--|------------|
| 32 | US 6157691 A | 20001205 | 9 | Fully integrated phase-locked loop with resistor-less loop filter | 375/376 |
| 33 | US 5987085 A | 19991116 | 10 | Clock recovery circuit | 375/374 |
| 34 | US 5978425 A | 19991102 | 15 | Hybrid phase-locked loop employing analog and digital loop filters | 375/374 |
| 35 | US 5945855 A | 19990831 | 16 | High speed phase lock loop having high precision charge pump with error cancellation | 327/157 |
| 36 | US 5910741 A | 19990608 | 16 | PLL circuit with non-volatile memory | 327/150 |
| 37 | US 5901184 A | 19990504 | 15 | Extended range voltage controlled oscillator for frequency synthesis in a satellite receiver | 375/344 |
| 38 | US 5889828 A | 19990330 | 103 | Clock reproduction circuit and elements used in the same | 375/374 |

| | Current XRef | Inventor |
|-----------|---|--------------------------|
| 32 | 327/148; 327/149; 327/150; 327/156; 375/373; 375/374 | Wei; Shuran |
| 33 | 327/157; 331/10; 331/25; 375/375; 375/376 | Anderson; Michael B. |
| 34 | 327/159; 331/10; 375/375; 375/376 | Takla; Ashraf K. |
| 35 | 327/156; 327/536; 327/537; 375/373; 375/374 | Momtaz; Afshin D. |
| 36 | 327/148; 327/157; 327/159; 331/1A; 331/16; 331/DIG.2; 331/DIG.3; 375/374 | Watanabe; Hiroyuki |
| 37 | 348/731; 348/733; 375/345; 375/371; 375/374; 725/68 | Ben-Efraim; Nadav et al. |
| 38 | 327/154; 375/375; 375/376 | Miyashita; Takumi et al. |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|--------------|------------|-------|--|------------|
| 39 | US 5822387 A | 19981013 | 11 | Apparatus for fast phase-locked loop (PLL) frequency slewing during power on | 375/376 |
| 40 | US 5799048 A | 19980825 | 12 | Phase detector for clock synchronization and recovery | 375/360 |
| 41 | US 5740213 A | 19980414 | 27 | Differential charge pump based phase locked loop or delay locked loop | 375/374 |
| 42 | US 5610954 A | 19970311 | 103 | Clock reproduction circuit and elements used in the same | 375/375 |
| 43 | US 5566212 A | 19961015 | 8 | Phase-locked loop circuit for Manchester-data decoding | 375/333 |
| 44 | US 5481563 A | 19960102 | 8 | Jitter measurement using a statistically locked loop | 375/226 |
| 45 | US 5408200 A | 19950418 | 10 | Intelligent phase detector | 331/1A |
| 46 | US 5349612 A | 19940920 | 14 | Digital serializer and time delay regulator | 375/371 |
| 47 | US 5276716 A | 19940104 | 17 | Bi-phase decoder phase-lock loop in CMOS | 375/376 |
| 48 | US 5245637 A | 19930914 | 12 | Phase and frequency adjustable digital phase lock logic system | 375/374 |

| | Current XRef | Inventor |
|-----------|---|-----------------------------|
| 39 | 375/374; 375/375 | Mar; Monte F. |
| 40 | 327/144; 327/157; 327/159; 331/17; 375/374 | Farjad-Rad; Ramin et al. |
| 41 | 327/157; 331/17 | Dreyer; Stephen F. |
| 42 | 327/157; 331/25; 375/374 | Miyashita; Takumi et al. |
| 43 | 375/359; 375/361; 375/374; 375/376 | Boytim; Mathew A. et al. |
| 44 | 375/355; 375/359; 375/371; 375/374; 375/376 | Hamre; John D. |
| 45 | 327/156; 327/292; 331/11; 331/12; 331/25; 360/51; 375/371; 375/374; 375/376 | Buhler; Otto |
| 46 | 327/270; 375/374 | Guo; Bin et al. |
| 47 | 331/1A; 375/374; 375/375 | Winen; John M. |
| 48 | 327/141; 327/231 | Gersbach; John E. et al. |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|--------------|------------|-------|--|------------|
| 49 | US 5239561 A | 19930824 | 12 | Phase error processor | 375/376 |
| 50 | US 5095498 A | 19920310 | 19 | Bit synchronizer | 375/340 |
| 51 | US 5081655 A | 19920114 | 10 | Digital phase aligner and method for its operation | 375/373 |
| 52 | US 5036528 A | 19910730 | 12 | Self-calibrating clock synchronization system | 375/374 |
| 53 | US 4890305 A | 19891226 | 4 | Dual-tracking phase-locked loop | 375/374 |
| 54 | US 4821296 A | 19890411 | 18 | Digital phase aligner with outrigger sampling | 375/374 |
| 55 | US 4780844 A | 19881025 | 12 | Data input circuit with digital phase locked loop | 710/58 |
| 56 | US 4700347 A | 19871013 | 9 | Digital phase adjustment | 714/700 |
| 57 | US 4633488 A | 19861230 | 15 | Phase-locked loop for MFM data recording | 375/374 |
| 58 | US 4590602 A | 19860520 | 9 | Wide range clock recovery circuit | 375/375 |

| | Current XRef | Inventor |
|-----------|---|--------------------------------|
| 49 | 327/231; 329/307; 329/309; 329/310; 329/325; 331/1A; 331/25; 375/374 | Wong; Hee et al. |
| 50 | 327/141; 327/2; 375/362; 375/374 | DeLuca; Michael J. et al. |
| 51 | 327/231; 331/1A; 375/374 | Long; John R. |
| 52 | 327/231; 327/3; 331/18 | Le; Duc N. et al. |
| 53 | 331/1A; 375/327; 375/376 | Devries; Paul A. |
| 54 | 375/362 | Cordell; Robert R. |
| 55 | 360/51; 375/374; 713/502 | Keller; Glenn |
| 56 | 327/250; 327/284; 375/374 | Rettberg; Randall D. et al. |
| 57 | 327/157; 331/1A; 360/61; 375/359; 375/376 | Shaw; Robert A. |
| 58 | 331/1A; 331/DIG.2 ; 375/328; 375/374; 375/376 | Wolaver; Dan H. |

| | Document ID | Issue Date | Pages | Title | Current OR |
|----|--------------|------------|-------|--|---------------|
| 59 | US 4546486 A | 19851008 | 10 | Clock recovery arrangement | 375/374 |
| 60 | US 4534044 A | 19850806 | 10 | Diskette read data recovery system | 375/374 |
| 61 | US 4464771 A | 19840807 | 8 | Phase-locked loop circuit arrangement | 375/374 |
| 62 | US 4320527 A | 19820316 | 11 | Bit synchronizing system for pulse signal transmission | 375/374 |
| 63 | US 4280099 A | 19810721 | 15 | Digital timing recovery system | 327/160 |
| 64 | US 4216544 A | 19800805 | 6 | Digital clock recovery circuit | 375/374 |
| 65 | US 4029900 A | 19770614 | 22 | Digital synchronizing signal recovery circuits for a data receiver | 375/365 |
| 66 | US 3626306 A | 19711207 | 8 | AUTOMATIC BAUD SYNCHRONIZER | 327/141 |

| | Current XRef | Inventor |
|-----------|--|-----------------------------|
| 59 | 327/5; 375/361; 375/376 | Evans; Michael W. |
| 60 | 331/1A; 360/51; 375/376 | Funke; Michael J. et al. |
| 61 | 327/157; 331/1A; 331/17; 375/376 | Sorensen; Bendt H. |
| 62 | 327/113; 327/141; 327/47 | Takasaki; Yoshitaka |
| 63 | 327/166; 327/299; 327/98; 375/374 | Rattlingourd; Glen D. |
| 64 | 327/166; 327/241; 377/43; 377/45; 377/50 | Boleda; Alberto et al. |
| 65 | 327/155; 375/374; 375/376 | Addeo; Eric John |
| 66 | 327/161; 341/56; 375/355; 375/373; 375/374 | Puckette; Charles McD. |